

THE STATE OF ALASKA
Department of Environmental Conservation
Laboratory Certification Program
Certificate for Chemical Analysis in Drinking Water

Vista Analytical Laboratory


1104 Windfield Way
El Dorado Hills, CA 95672

CA00413

has complied with the provisions set forth in 18 AAC 80 and is hereby recognized by The Department of Environmental Conservation as **Fully Certified** for the analytical parameter listed on the accompanying Scope of Accreditation. This certificate is effective **10/27/08**, and expires **10/31/09**.

Thomas K. Hathaway

Thomas K. Hathaway, Ph.D.
State of Alaska Certification Authority



Lance W. Morris

Lance W. Morris
Laboratory Chemistry Certification Officer

THE STATE OF ALASKA
Department of Environmental Conservation
Laboratory Certification Program

Scope of Accreditation

Expiration: 10/31/2009

Vista Analytical Laboratory, Inc.
1104 Windfield Way
El Dorado Hills, CA 95762

CA00413

is certified by the State of Alaska Department of Environmental Conservation, pursuant to 18 AAC 80, to perform analysis for the parameters listed below using the analytical methods indicated. Accreditation for all parameters is final unless indicated in a note. Accreditation is for the latest version of a method unless specified otherwise in a note. EPA refers to the U.S. Environmental Protection Agency. SM refers to American Public Health Association's publication, Standard Methods for the Examination of Water and Wastewater, 18th, 19th or 20th Edition unless otherwise noted. ASTM refers to the American Society for Testing and Materials.

Drinking Water Chemistry

Method/Test Name	Reference	Analyte	Matrix	Status
1613B	EPA	Dioxin (2,3,7,8-TCDD)	Water	Approved

